

SILVERWAKE

MOTUL

GARANTIE WARRANTY



nannidiesel

energy in blue

SILVERWAKE

CONTRACTUAL WARRANTY

PRESENTATION

- ✓ Identification of product and type of warranty applicable
- ✓ SILVERWAKE PLEASURE
- ✓ SILVERWAKE COMMERCIAL
- ✓ SILVERWAKE commissioning voucher
- ✓ Maintenance table
- ✓ First maintenance visit voucher
- ✓ Maintenance visits
- ✓ Winterization

SILVERWAKE

IDENTIFICATION OF PRODUCT AND TYPE OF WARRANTY APPLICABLE

Dear Customer

Thank you for choosing a NANNIDIESEL marine engine

Your NANNIDIESEL engine has been designed and tested on our factory test bench to ensure your entire satisfaction when cruising

Please read our SILVERWAKE warranty conditions and be sure to carefully observe the operating and maintenance instructions contained in this booklet

BOAT TRADENAME TYPE

BOAT'S NAME

REGISTRATION N°

ENGINE MODEL SERIAL N°

GEARBOX MODEL SERIAL N°

WARRANTY

SILVERWAKE PLEASURE

SILVERWAKE COMMERCIAL

COMMERCIAL STAMP AND SIGNATURE OF SALES AGENT approved NANNIDIESEL dealer NANNIDIESEL service center

DATE OF COMMISSIONING

SILVERWAKE PLEASURE

As part of its sales policy "NANNI INDUSTRIES SAS" guarantees its products for its buyers and users pleasure craft applications in accordance with the terms and conditions detailed below

NANNI INDUSTRIES SAS guarantees for a period of **THREE** years as of the date of commissioning the NANNI DIESEL engine components listed below and recognized to be defective as concerns casting or machining defects "NANNI INDUSTRIES SAS" hereby undertakes to replace or repair those components listed below if found to be defective

These components are

Engine block

Cylinder head

Timing gear case

Crankshaft

Connecting rods

Engine flywheel

Bell flywheel housing

Camshaft

Balancing shafts

Fresh water pump housing

Heat exchanger housing



SILVERWAKE PLEASURE

II The following section only concerns the European Union countries

In compliance with article L of the consumer code independent of the warranty granted to the product buyer user the dealer is liable for all product compliance defects with respect to the contract and crippling defects as concerned by the provisions of articles to of the Civil Code

Review of provisions of consumer code

Article L

The seller is responsible for the supply of a good complying with the terms of the contract and shall respond as regards compliance defects which may exist on delivery. The seller is also responsible as concerns compliance defects resulting from packaging assembly or installation when the seller is designated as liable for these by the terms of the contract or when such has been performed under the seller's responsibility

Article L

In order to be compliant with the contract the good must

° Be appropriate to the use normally expected of a similar good and where

necessary

correspond to the description given by the seller and have the quality presented by the seller to the buyer in the form of a sample or model

present the qualities which a buyer may legitimately expect as concerns any public declarations made by the seller the manufacturer or its representative in particular by way of advertising media or labeling

° Or present the characteristics defined by mutual agreement of the parties or be appropriate to any special use sought by the buyer and notified to the seller and which the seller has accepted

Article L

The action resulting from the compliance defect shall have a limitation period of two years as of delivery of the good

Review of the Civil Code provisions

Article

The seller is liable for guarantying the good as concerns hidden defects which may render the good unusable for the purpose for which it is intended or which may decrease the usability of the good to such an extent that the buyer would not have purchased the said good or would only have given a lower price if the hidden defect had been brought to his attention

Article

The action resulting from crippling defects must be initiated by the buyer within two years as of discovery of the defect

When the buyer requests the seller during the contractual warranty period to repair the good as covered by the warranty any downtime exceeding days shall be added to the remaining warranty coverage period. This period shall count as of the day at which the buyer has requested intervention or as of the day on which the good has been made available for repair when the good is made available on a date subsequent to the date of request for intervention

SILVERWAKE PLEASURE

III The specified items above as covered by the SILVERWAKE COMMERCIAL contractual warranty are described as close list

In this way the following points are excluded from the warranty granted by "NANNI INDUSTRIES SAS" to the buyer user

- Any modification carried out on the engines and ancillary equipment specified and installed by the boat builder without prior approval by NANNI INDUSTRIES SAS

- Damages due to incorrect non compliant installation The installation must be performed in compliance with the installation instructions given by NANNI INDUSTRIES SAS and must be carried out by a professional shipyard shipyard technician trained on NANNI INDUSTRIES SAS products approved Nanni Diesel engine dealer

- Damages caused by use of parts other than original parts or those specified by "NANNI INDUSTRIES SAS"

- Engine which have suffered as a result of inadequate maintenance

- Damages resulting from engines serviced outside our network of approved dealers

- Damages due to storage exceeding months or use which does not comply with the procedures detailed in the maintenance manual

- Damages caused by freezing or failure caused by no winterization procedures when the engine is not in service

- Damages caused by use of an inappropriate propeller

- Damages caused by use of a fuel or lubricant other than those specified

Wear components such as belts filters impellers and gaskets on the raw water pump

- Damages to electrical components supplied with the engine or installed by shipyards related to connections made which are not compliant with the specifications or without prior approval of "NANNI INDUSTRIES SAS"

- Clutch damaged on gear boxes if equipped with trolling valve

Also excluded from any "NANNI INDUSTRIES SAS" warranty and more particularly the contractual warranty

- Expenses related to travel of the person ensuring after sales service within a radius exceeding kilometers

- Expenses related to handling telephone transportation etc

- Repair of any other damage

SILVERWAKE PLEASURE

IV Conditions for application of SILVERWAKE PLEASURE contractual warranty

The validity of the SILVERWAKE PLEASURE contractual warranty is subject to the following conditions

A "Light pleasure boat" use with characteristics as follows

- Number of operating hours per year [] [] [] [] hours maximum
- Usage private pleasure boating
- Percentage of use at full load (see details on table No [] [] [] [])
- Boat type and applications (see details on table No [] [] [] [])

Table N° [] [] [] Percentage of use at full power

Use	Time	Power	RPM	Corresponding engine RPM			
Maxi	[] [] []	[] [] [] []	[] [] [] []	[] [] [] []	[] [] [] []	[] [] [] []	[] [] [] []
Cruising	[] [] []	[] [] []	[] [] []	[] [] [] []	[] [] [] []	[] [] [] []	[] [] [] []
Intermediate	[] [] []	[] [] []	[] [] []	[] [] [] []	[] [] [] []	[] [] [] []	[] [] [] []

NOTE	The propeller must be adapted to let the engine get the full RPM at full power no too big propeller	Engine Type	Corresponding engine RPM			
			[] hp	[] hp	[] hp	[] hp
		}	[] hp	[] hp	[] hp	[] hp
			[] hp	[]	[] hp	[] hp
			[] hp	[]	[] hp	[]
			[] hp	[]	[] hp	[]
			[] hp	[]	[] hp	[]
			[] hp	[]	[] hp	[]
			[] hp	[]	[] hp	[]
			[] hp	[]	[] hp	[]
			[] hp	[]	[] hp	[]
			[] hp	[]	[] hp	[]

SILVERWAKE PLEASURE

Table No 1 Boat types and applications

Horse power	Boat type	Ratio HP/ton minimum	Minimum speed Knots
100hp 150hp 200hp 250hp 300hp 350hp 400hp 450hp 500hp 550hp 600hp	Racing sailing boats Cruising sailing boat River boats Displacement boat Semi planning boat	100 150 200 > 200 250	10 15 20 25 30
700hp 1000hp 1500hp	Cruising sailing boat Planning and semi planning boats Planing and semi planning boats	100 150 200	10 15 20
2000hp 3000hp 4000hp 5000hp 6000hp	Planning hulls	100	15

Example 1000hp on a cruising sailing boat > the weight max must be of 10 tons

Contact NANNI DIESEL for all specific or unusual applications

SILVERWAKE PLEASURE

b The engine commissioning inspection must be performed within 3 months of the date of delivery by "NANNI INDUSTRIES SAS". By mutual agreement the engine commissioning will only be considered effective as of reception by "NANNI INDUSTRIES SAS" of the duly completed commissioning voucher. The voucher must be received within 15 days as of inspection. Any commissioning voucher which is incomplete, illegible or received after the required deadline shall be considered as invalid. Failure to submit the valid commissioning voucher within the required deadline will result in definitive cancellation of the contractual warranty.

c A first maintenance inspection must be performed after 100 hours of use or no more than 15 days after commissioning. By mutual agreement the maintenance inspection will only be considered effective as of reception by "NANNI INDUSTRIES SAS" of the duly completed first inspection voucher. This voucher must be received within 15 days as of the inspection. Any voucher which is incomplete, illegible or received after the required deadline shall be considered as invalid. Failure to submit the valid commissioning voucher within the required deadline will result in definitive cancellation of the contractual warranty.

d The maintenance and servicing visits must be performed in compliance with the table on page 10 of this booklet with signature and stamp by the approved dealer having performed each maintenance visit (see page 10). This booklet showing that each of the maintenance visits has been carried out must be presented for all claims relative to the contractual warranty.

e Winterization is mandatory when the engine is not used for any extended period of time. Dealer stamp mandatory. The inspection operations must be performed by a NANNI DIESEL approved dealer or shipyard agent trained on "NANNI INDUSTRIES SAS" products. These operations are performed at the owner's expense.

□

V Application of warranty

For application of the warranty contact an approved dealer or distributor member of the "NANNI INDUSTRIES SAS" network.



SILVERWAKE COMMERCIALE

I, "NANNI INDUSTRIES SAS" guarantees its products for its buyers and users professional use in accordance with the terms and conditions detailed below

NANNI INDUSTRIES SAS guarantees for a period of **ONE** year as of the date of commissioning the NANNI DIESEL engine components listed below and recognized to be defective as concerns casting or machining defects "NANNI INDUSTRIES SAS" hereby undertakes to replace or repair those components listed below found to be defective

These components are

Engine block

Cylinder head

Timing gear case

Crankshaft

Connecting rods

Engine flywheel

Bell flywheel housing

Camshaft

Balancing shafts

Fresh Water pump housing

Heat exchanger housing



SILVERWAKE COMMERCIALE

II The specified items above as covered by the SILVERWAKE COMMERCIAL contractual warranty are described as close list

The following points are excluded from the warranty granted by "NANNI INDUSTRIES SAS" to the buyer user

- Any modification carried out on the engines and ancillary equipment specified and installed by the boat builder without prior approval by NANNI INDUSTRIES SAS
- Damages due to incorrect non compliant installation The installation must be performed in compliance with the installation instructions given by NANNI INDUSTRIES SAS and must be carried out by a professional shipyard technician trained on NANNI INDUSTRIES SAS products approved Nanni Diesel engine dealer
- Damages caused by use of parts other than original parts or those specified by NANNI INDUSTRIES SAS
- Engine which have suffered as a result of inadequate maintenance
- Damages resulting from engines serviced outside our network of approved dealers
- Damages due to storage exceeding months or use which does not comply with the procedures detailed in the maintenance manual
- Damages caused by freezing or failure caused by no winterization procedures when the engine is not in service
- Damages caused by use of an inappropriate propeller
- Damages caused by use of a fuel or lubricant other than those specified
- Wear components such as belts filters impellers and gaskets on the raw water pump
- Damages to electrical components supplied with the engine or installed by shipyards related to connections made which are not compliant with the specifications or without prior approval of NANNI INDUSTRIES SAS
- Damage to clutch disks used with the gear boxes equipped with trolling valve
- Any damages resulting from a specific use not specified when ordering by the buyer user

Also excluded from any NANNI INDUSTRIES SAS warranty and more particularly the contractual warranty

- Expenses related to travel of the person ensuring after sales service within a radius exceeding kilometers
- Expenses related to handling telephone transportation etc
- Repair of any other damage

SILVERWAKE COMMERCIALE

III Conditions for application of SILVERWAKE COMMERCIAL contractual warranty

It is the entire responsibility of the dealer approved dealer or center directly in contact with the end user to verify the appropriateness of the equipment supplied with the use planned by the end user and to ensure the equipment's compliance with the expectations expressed by the customer

As a general rule the basic warranty conditions governing coverage by the SILVERWAKE COMMERCIAL warranty are as follows

a **A written detailed request** must be addressed to "NANNI INDUSTRIES SAS" by the buyer user and the approved dealer prior to order "NANNI INDUSTRIES SAS" reserves the right with regard to the technical specifications submitted to **accept or refuse to grant its SILVERWAKE COMMERCIAL contractual warranty**

b **The engine commissioning inspection** must be performed within months of the date of delivery by "NANNI INDUSTRIES SAS" By mutual agreement the engine commissioning will only be considered effective as of reception by "NANNI INDUSTRIES SAS" of the duly completed commissioning voucher The voucher must be received within days as of inspection Any commissioning voucher which is incomplete illegible or received beyond the required deadline shall be considered as invalid **Failure to submit the valid commissioning voucher within the required deadline will result in definitive cancellation of the contractual warranty**

c **A first maintenance inspection** must be performed after hours of use or no more than days after commissioning By mutual agreement the maintenance inspection will only be considered effective as of reception by "NANNI INDUSTRIES SAS" of the duly completed first inspection voucher This voucher must be received within days as of the inspection Any voucher which is incomplete illegible or received after the required deadline shall be considered as invalid Failure to submit the valid commissioning voucher within the required deadline will result in definitive cancellation of the contractual warranty

d **The maintenance and servicing visits** must be performed in compliance with the table on page of this booklet with signature and stamp by the approved dealer having performed each maintenance visit see page This booklet showing that each of the maintenance visits has been carried out must be presented for all claims relative to the contractual warranty

e **Winterization** is mandatory when the engine is not used for any extended period of time dealer stamp mandatory The inspection operations must be performed by a NANNI DIESEL approved dealer or shipyard agent trained on "NANNI INDUSTRIES SAS" products These operations are performed at the owner's expense

IV Application of warranty

For application of the warranty contact an approved dealer or distributor member of the "NANNI INDUSTRIES SAS" network

SILVERWAKE PLEASURE AND COMMERCIAL MAINTENANCE TABLE - SCHEDULE OF SERVICING OPERATIONS

TYPE OF OPERATION DAILY (C=CONTROL R=REPLACE A=ADJUST L=CLEAN)	Every day	1st maintenance inspection	Every 100H or once annually	Every 1000H or once annually	Every 1000H or every 5 years
Cooling fluid level	C/A	C/A	C/A	C/A	C/A
Cooling fluid	C/A	C/A	C/A	C/A	R
Engine oil level	C/A	C/A	C/A	C/A	C/A
Engine oil		R		R	R
Engine oil filter		R		R	R
Gearbox oil level	C/A	C/A	C/A	C/A	C/A
Gearbox oil cleaning of oil filter		R		R	R
Fuel pre filter cartridge		R		R	R
Fuel pre filter water draining	C/A	C/A	C/A	C/A	C/A
Fuel filter		R	R	R	R
Sea water filter cleaning	C/N	C/L	C/N	C/L	C/L
Air filter cleaning/ replacement		C	C	C/R/L	C/R/L
Tension of belts		C	C	C	C
Sea water pump impeller				R	R
Stuffing box	C/A	C/A	C/A	C/A	C/A
Battery electrolyte level Every 30 days	Every 30 days				
General water proofness	C	C/A	A	C/A	C/A
Tightening of screws and clamps		C/A	C/A	C/A	C/A
Engine attachment suspensions and alignment		C/A		C/A	C/A
Anode (if fitted)		C	C/R	C/R	C/R
Instrument panel indicators and alarms	C	C	C	C	C
Control unit inspection of accelerator gearbox and trolling cables general lubrication		C	C	C	C
Calibrated heat exchanger cap					R
Thermostat					R
Exchanger tube stack inspection and cleaning					C/L
Air cooler tube stack inspection and cleaning					C/L
Gear box oil cooler tube stack cleaning					C/L
Injector nozzle calibration spray					C/A/R
Valve clearance					C/A
Turbo inspection cleaning					C/L
Turbo waste gate free movement and lubrication			C/L	C/L	C/L
Timing belt (if fitted)					1000H or 5 years

Operations to be performed in accordance with user and maintenance manual for your engine. For all technical information specific to your engine refer to the user and maintenance manual.



Z 1 Avenue Mariotte BP LA TESTE FRANCE Tél Fax

Internet www.nannidiesel.com E mail contact@nannidiesel.com

S.A.S au capital social de € RCS Bordeaux B APE A FR



SILVERWAKE FR/ND/K

FIRST MAINTENANCE VISIT VOUCHER

At owner's expense

Engine Type _____ Serial No _____ Operating hours _____
 Customer name _____

Maintenance operations to be performed after _____ hours of operation and no more than _____ days after commissioning in accordance with maintenance table on page _____ *Note After each operation check the corresponding box Refer to User Manual for general information*

- | | |
|---|---|
| <input type="checkbox"/> | <input type="checkbox"/> |
| <input type="checkbox"/> Check cooling fluid level | <input type="checkbox"/> Check general waterproofness |
| <input type="checkbox"/> Drain / Refill engine oil | <input type="checkbox"/> Check engine attachment / suspension and alignment |
| <input type="checkbox"/> Replace oil filter | <input type="checkbox"/> Check / adjust tension of belts |
| <input type="checkbox"/> Drain / Refill gearbox oil | <input type="checkbox"/> Check tightening of screws and clamps |
| <input type="checkbox"/> Check / clean gearbox filter (if fitted) | <input type="checkbox"/> Check stuffing box |
| <input type="checkbox"/> Drain water / replace fuel prefilter cartridge | <input type="checkbox"/> Check top up battery electrolyte |
| <input type="checkbox"/> Replace fuel filter | <input type="checkbox"/> Check waste gate lever (if equipped) |
| <input type="checkbox"/> Clean seawater filter | <input type="checkbox"/> Check instrument panel indicators and alarms |
| <input type="checkbox"/> Check control unit / inspect throttle / gearbox and
Trolling (if fitted) cables / Connections on engine / Lubrication | |

Blue form dealer
 To be returned completed to
 NANNI INDUSTRIES
 White form must be kept with bookled

Official stamp of approved dealer or NANNIDIESEL center	Date
Signature	Signature of buyer / customer



Z Avenue Mariotte BP LA TESTE FRANCE Tél Fax
 Internet www.nannidiesel.com E mail contact@nannidiesel.com

S A S au capital social de € RCS Bordeaux B APE A FR



SILVERWAKE FR IND K

FIRST MAINTENANCE VISIT VOUCHER

At owner's expense

Engine Type Serial No Operating hours
 Customer name

Maintenance operations to be performed after hours of operation and no more than days after commissioning in accordance with maintenance table on page Note After each operation check the corresponding box Refer to User Manual for general information

- | | |
|--|---|
| <input type="checkbox"/> | <input type="checkbox"/> |
| <input type="checkbox"/> Check cooling fluid level | <input type="checkbox"/> Check general waterproofness |
| <input type="checkbox"/> Drain Refill engine oil | <input type="checkbox"/> Check engine attachment suspension and alignment |
| <input type="checkbox"/> Replace oil filter | <input type="checkbox"/> Check adjust tension of belts |
| <input type="checkbox"/> Drain Refill gearbox oil | <input type="checkbox"/> Check tightening of screws and clamps |
| <input type="checkbox"/> Check clean gearbox filter if fitted | <input type="checkbox"/> Check stuffing box |
| <input type="checkbox"/> Drain water replace fuel prefilter cartridge | <input type="checkbox"/> Check top up battery electrolyte |
| <input type="checkbox"/> Replace fuel filter | <input type="checkbox"/> Check waste gate lever if equipped |
| <input type="checkbox"/> Clean seawater filter | <input type="checkbox"/> Check instrument panel indicators and alarms |
| <input type="checkbox"/> Check control unit inspect throttle gearbox and Trolling if fitted cables Connections on engine Lubrication | |

Blue form dealer
 To be returned completed to
 NANNI INDUSTRIES
 White form must be kept with bookled

Official stamp of approved dealer or NANNIDIESEL center	Date
Signature	Signature of buyer customer



Z Avenue Mariotte BP LA TESTE FRANCE Tél Fax
 Internet www.nannidiesel.com E mail contact@nannidiesel.com

S A S au capital social de € RCS Bordeaux B APE A FR



SILVERWAKE FR IND K

SILVERWAKE PLEASURE AND COMMERCIAL

RD MAINTENANCE VISIT

At owner's expense

Engine Type _____ Serial No _____ Operating hours _____
 Customer name _____

Operations to be performed after _____ hours of operation or once yearly in accordance with maintenance table on page _____

Note After each operation check the corresponding box Refer to User Manual for general information

- Check cooling fluid level
- Drain refill engine oil
- Drain refill gearbox oil
- Replace engine oil filter
- Check clean gearbox oil filter
- Replace fuel filter
- Drain water check fuel prefilter cartridge
- Clean seawater filter
- Replace seawater pump impeller
- Check control unit inspect throttle gearbox and Trolling if fitted cables Connections on engine Lubrication
- Check general waterproofness
- Check engine attachments suspensions and alignment
- Check Adjust tension of belts
- Check replace anode if fitted
- Check top up battery electrolyte level
- Check tightening of screws and clamps
- Check stuffing box
- Check and lubricate waste gate lever if fitted
- Check instrument panel indicator and alarms
- Check clean replace if necessary engine air filter

Official stamp of approved dealer or NANNIDIESEL center	Date
Signature	Signature of buyer/customer



Z Avenue Mariotte BP LA TESTE FRANCE Tél Fax

Internet www.nannidiesel.com E-mail contact@nannidiesel.com

S.A.S au capital social de € RCS Bordeaux B APE A FR

SILVERWAKE FR/ND/K



SILVERWAKE PLEASURE AND COMMERCIAL TH MAINTENANCE VISIT

At owner's expense

Engine Type _____ Serial No _____ Operating hours _____

Customer name _____

□

Operations to be performed after _____ hours of operation or once yearly in accordance with maintenance table on page _____

Note After each operation check the corresponding box Refer to User Manual for general information

□

- | | |
|--|--|
| <input type="checkbox"/> Replace cooling fluid | <input type="checkbox"/> Check general waterproofness |
| <input type="checkbox"/> Drain refill engine oil | <input type="checkbox"/> Check engine attachments suspensions and alignment |
| <input type="checkbox"/> Drain refill gearbox oil | <input type="checkbox"/> Check adjust tension of belts |
| <input type="checkbox"/> Replace fuel filter | <input type="checkbox"/> Check tightening of screws and clamps |
| <input type="checkbox"/> Drain water check fuel prefilter cartridge | <input type="checkbox"/> Check stuffing box |
| <input type="checkbox"/> Check top up battery electrolyte level | <input type="checkbox"/> Clean seawater filter |
| <input type="checkbox"/> Replace seawater pump impeller | <input type="checkbox"/> Check and lubricate waste gate lever if fitted |
| <input type="checkbox"/> Check replace anode if fitted | <input type="checkbox"/> Check instrument panel indicators and alarms |
| <input type="checkbox"/> Check control unit inspect throttle gearbox and Trolling if fitted cables Connections on engine Lubrication | <input type="checkbox"/> Disassemble clean heat exchanger reinstall with new O rings |

Official stamp of approved dealer or NANNIDIESEL center	Date
Signature	Signature of buyer/customer



Z Avenue Mariotte BP LA TESTE FRANCE Tél Fax

Internet www.nannidiesel.com E-mail contact@nannidiesel.com

S.A.S au capital social de € RCS Bordeaux B APE A FR

SILVERWAKE FR/ND/K



SILVERWAKE PLEASURE AND COMMERCIAL TH AND TH MAINTENANCE VISIT

At owner's expense

Engine Type _____ Serial No _____ Operating hours _____

Customer name _____

Operations to be performed in accordance with maintenance table on page _____

Official stamp of approved dealer or NANNIDIESEL center	Date
Signature	Signature of buyer/customer

At owner's expense

Engine Type _____ Serial No _____ Operating hours _____

Customer name _____

Operations to be performed in accordance with maintenance table on page _____

Official stamp of approved dealer or NANNIDIESEL center	Date
Signature	Signature of buyer/customer



SILVERWAKE PLEASURE AND COMMERCIAL WINTERIZATION

Whenever your NANNIDIESEL is not used over an extended period of time or at the end of its usual service season it is important to protect your engine during that time when it is not used

The following winterization procedures must be carried out to ensure that your engine is in perfect operating condition when the next season comes around

We recommend that you have the following winterization procedures performed by a NANNIDIESEL approved workshop

Winterization operations

st year

- Check condition of cooling fluid
- Rinse seawater cooling circuit with freshwater
- Pump a mixture of water and antifreeze through seawater cooling circuit. If your engine has to be stored over the winter period with external temperatures drop freezing we recommend to drain the seawater cooling circuit completely
- Close the engine air intake
- Drain the engine and gearbox oil and refill with new oil
- Release belts tension
- Remove the seawater pump impeller, rinse with fresh water and store in dry place sheltered from light
- Top up the cooling fluid to its maximum level in the heat exchanger
- Dry the boat's bilge under the engine
- Spray the engine with a water repellent product

Official stamp of approved dealer or NANNIDIESEL center	Date
Signature	Signature of buyer/customer

SILVERWAKE PLEASURE AND COMMERCIAL WINTERIZATION

nd year

- Check condition of cooling fluid
- Rinse seawater cooling circuit with freshwater
- Pump a mixture of water and antifreeze through seawater cooling circuit. If your engine has to be stored over the winter period with external temperatures drop freezing we recommend to drain the seawater cooling circuit completely
- Close the engine air intake
- Drain the engine and gearbox oil and refill with new oil
- Release belts tension
- Remove the seawater pump impeller, rinse with fresh water and store in dry place sheltered from light
- Top up the cooling fluid to its maximum level in the heat exchanger
- Dry the boat bilge under the engine
- Spray the engine with a water repellent product

Official stamp of approved dealer or NANNIDIESEL center	Date
Signature	Signature of buyer/customer



SILVERWAKE PLEASURE AND COMMERCIAL WINTERIZATION

rd year

- Check condition of cooling fluid
- Rinse seawater cooling circuit with freshwater
- Pump a mixture of water and antifreeze through seawater cooling circuit. If your engine has to be stored over the winter period with external temperatures drop freezing we recommend to drain the seawater cooling circuit completely
- Close the engine air intake
- Drain the engine and gearbox oil and refill with new oil
- Release belts tension
- Remove the seawater pump impeller, rinse with fresh water and store in dry place sheltered from light
- Top up the cooling fluid to its maximum level in the heat exchanger
- Dry the boat bilge under the engine
- Spray the engine with a water repellent product

Official stamp of approved dealer or NANNIDIESEL center	Date
Signature	Signature of buyer/customer





Z Avenue Mariotte BP LA TESTE FRANCE Tél Fax
Internet www.nannidiesel.com Email contact@nannidiesel.com

S A S au capital de € RCS Bordeaux B APE A FR

